


The Lung Cancer Screening workflow is designed to capture documentation from across the care team to identify patients who are at risk for developing lung cancer.


Documenting Smoking History during Clinical Intake

- Navigate to the **Social History** section of the **Adult Ambulatory Intake** form.
- For **new** patients click the **+Add** button to complete a patient's social history including tobacco history.




OR:

- For **existing** patients:
 - Right-click in the **Tobacco** row and select **Modify Tobacco History**.
 - If the patient's **tobacco use has not changed** and was last documented **within 365 days**, select the appropriate reviewed items from the **Social History Reviewed No Changes** field.
 - Tobacco use updates are required on the first visit after the documentation has reached or exceeded 365 days.
 - The Intake form **cannot be signed** until Smoking Tobacco Use and Smokeless Tobacco Use have been updated.



- Use **Smoking Cessation Education** field to document cessation resources offered to the patient.
 - Click [here](#) for more information about **Maine QuitLink Direct Messaging Referral**.
- Document **Pack Years** and **Quit date** if applicable.
 - **Pack Years Calculations** is the preferable tool to document **Tobacco Quit Date** and **Total Pack Years**.



- When fields 1-3 are documented the **Total Pack Years** will calculate.

Tobacco Quit Date	Packs/Day	Years Smoked	Pack Years
12/06/2022	2	20	40
Period 1			
Period 2			
Period 3			
Period 4			
Total Pack Years			40

NOTE: If smoking history is documented in the Social History tool, the Total pack years and Year Quit Smoking must be documented.

***Smoking tobacco use:**

- Never (less than 100 in lifetime)
- Never Smoker but exposed to 2nd hand smoke
- Former smoker
- Former smoker, quit more than 30 days ago
- Current every day smoker
- Current some day smoker
- 4 or less cigarettes (less than 1/4 pack)/day in last 30 days
- 5-9 cigarettes (between 1/4 to 1/2 pack)/day in last 30 days
- 10 or more (1/2 pack) / day in last 30 days
- 20 or more (1 pack) / day in last 30 days
- 40 or more (2 packs) / day in last 30 days
- 60 or more (3 packs) / day in last 30 days
- Heavy tobacco smoker
- Light tobacco smoker
- Cigar or pipe daily within last 30 days

Tobacco use per day:

Number of years:

Total pack years: 40

Started at age:

Stopped at age:

Year Quit Smoking 2,022

NOTE: Once Total pack years and Quit Date are documented the Lung Cancer Screening recommendation fires to the Recommendations component if the patient meets criteria.

Provider Low Dose CT order entry

STEP 1: Navigate to the Recommendations component.

Recommendation	Next Due	Last Action	Recurrence	Source	Orders
Lung Cancer Screening	Today	--	Every 1 YR	--	Orders

CT Lung Screening Low Dose Annual Exam 71271 Order

3-6 month Follow-Up (MCH, BHH, Inland, SVH) CT Lung Cancer Follow up 71250 Order


3-6 month Follow-Up (EMMC, ARG, Mercy, CAD) CT Chest w/o Contrast 71250 Order

STEP 2: Click the **Orders** dropdown in the Orders column in the Lung Cancer Screening row.

NOTE: CT Lung screening low Dose Annual Exam order is used for patients due for a baseline or annual low dose CT scan. If a patient needs a 3-6 month follow-up, choose appropriate order based on Member Organization location included in the order sentence.


REMINDER: The Lung Cancer Screening Care Pathway can assist providers with medical decision making, ordering imaging, and placing referrals to the lung cancer screening program if applicable. Click [link](#) for more information about Care Pathways.

- When CT lung screening imaging is ordered, a Low Dose CT discern alert fires enabling providers to document **Tobacco Quit Date** and **Total Pack Years**.



STEP 3: Click **Chart Now** or **Chart Later**.

NOTE: It is recommended Providers select **Chart Now** to review/update quit year and total pack years as last charted Pack Years Calculations will pull forward. Provider can select **Chart Later** if needed.



	Packs/Day	Years Smoked	Pack Years
Period 1	2	20	40
Period 2			
Period 3			
Period 4			
Total Pack Years			40

STEP 4: Document the following fields as appropriate for your patient to calculate total pack years:

- Tobacco Quit Date.
- Periods** (1, 2, 3, 4) are intended to show **Packs/Day** for the number of **Years Smoked** and may vary over a patient's lifetime.
- The Total Pack Years calculates based on Packs/Day and Years Smoked.

STEP 5: Sign the PowerForm using the **green checkmark**.

NOTE: The `/pack_years_calculation` autotext can be used to pull the Pack Years Calculation into a Provider's dynamic documentation note.

Pack Years Calculation
Tobacco Quit Date: 12/06/22
Period 1
Tobacco Use Packs/Day Period 1: 2
Tobacco Use Years Smoked Period 1: 20
Tobacco Use Pack Years Period 1: 40
Total Pack Years
Tobacco Use Total Pack Years Calculated: 40