

PowerChart Maternity allows for information from the onset of the pregnancy to be viewed across the ambulatory and inpatient setting. This improves the continuity of care provided throughout the pregnancy and ensures all members of the healthcare team have access to information necessary for delivering high-quality care.

Triage/Ante/Labor MPage


The use of the components on the **Triage/Ante/Labor MPage** will aid in the admission process for the OB patient. Once the pregnancy is added to the patient's electronic medical record, the components on the Triage/Ante/Labor MPage populate.

➤ Admission

Result/Form Name	Result	Author
Admission (8)		
Results (6)		
Patient Preferred Name	Ariel	ZZ, NURSE WOMENS HEALTH P2
Preferred Communication Mode	Written	ZZ, NURSE WOMENS HEALTH P2
Chief Complaint	labor	ZZ, NURSE WOMENS HEALTH P2

- From the Admission component, select **Maternal Fetal Triage Index (MFTI)**.

- Complete the MFTI. The result will display on the Tracking Board.
- Responses are conditional and will open based on the response.
- MFTI Priority Scores are from 1 – 5, with 1 being Stat and 5 being Scheduled or requested.



- From the Admission component, select **Admission History OB Form**.

- Within **Admission History OB Form**, complete the sections, including the **PPH Risk Assessment, Shoulder Dystocia Screening Tool, Obstetrical History**, and any required fields indicated with a red asterisk.

- Documentation from the form will display within the components on the MPages and on the Women's Health Tracking Board.
- Information from the **Prenatal Info** section will flow to **FetaLink**.
- PPH Risk Assessment** will display on the Tracking Board and will display with different colored icons based on the score – **Low, Medium, High**.

PPH Risk Factor Score, Admit/Interp
<input type="radio"/> Low risk
<input type="radio"/> Medium risk
<input checked="" type="radio"/> High risk


ID Risk Screen
Additional ID Risk: Screening OB
General Info
Interpreter Services
Subjective Data
Prenatal Info
PPH Risk Assessment, Admission
Shoulder Dystocia Screening Tool
CSSRS Screen
* Advance Directive
Obstetrical History
Birth Plan/Requests
Antepartum Risk Factors
Spiritual/Visitors
Social History
Alcohol Screening
Social Determinants of Health
Anesthesia/Sedation
Transfusion Reaction
Nutrition
Education Needs
* Covid-19 Vaccine Screening & Order
Influenza Screening
Pneumococcal (Adult)
COVID-19 Precaution

- **Shoulder Dystocia** will display on the Tracking Board and will display with different colored icons based on the risk status – at risk or no risks identified.



➤ Allergies


- Review and update allergies as appropriate.



- When allergies have been updated and/or reviewed, mark **Complete Reconciliation**.

➤ Home Medications

- Select **Med History** to complete the medication history for the patient.




- Verify the patient's preferred pharmacy using the **Patient Pharmacy** icon within the Document Med by Hx window.
- When all medications have been reviewed and compliance status documented, click **Document History**.

- A green checkmark will indicate that the medication history has been completed.




➤ Review histories and complete documentation via iView as appropriate.

- The Admission date and time should be documented in iView, within **Labor Onset Date/Time**, once the determination has been made that the patient will be admitted to initiate the Partogram.



➤ If a patient is scheduled to have an induction, complete the Pre-Induction Checklist from the Patient Safety Checklists/Assessments component.



➤ Patient Plan of Care

- The **Patient Plan of Care** needs to be completed at admission and every 12 hours.
 - From AdHoc, in the toolbar, select **Patient Plan of Care** and **Chart**.

